ELSEVIER

Journal of Non-Crystalline Solids 172–174 (1994) xxiii–xxxiv

JOURNAL OF NON-CRYSTALLINE SOLIDS

Author index

Aboulfaraj, M., C. G'sell, D. Mangelinck and G.B. McKenna, Physical aging of epoxy networks after quenching and/or plastic cycling 172–174 (1994) 615
Acosta, J.L., see Linares, A. 172–174 (1994) 1053
Adachi, K., H. Hirano and T. Kotaka, Dielectric study of subchain dynamics and dimension: butadiene–isoprene block copolymers 172–174 (1994) 661
Adelmann, P., see Mondal, P. 172–174 (1994) 468
Alba-Simionesco, C., see Cutroni, M. 172–174 (1994) 201
Alcaina-Miranda, I., see Bueso, L. 172–174 (1994) 1066
Alcaina-Miranda, I., see Sáenz de Juano-Arbona, V. 172–174 (1994) 1072
Alegría, A., see Colmenero, J. 172–174 (1994) 126
Alegría, A., see Colmenero, J. 172–174 (1994) 229
Alegría, A., I. Tellería and J. Colmenero, Miscibility and dielectric α-relaxation of PECH/PVME polymer blends 172–174 (1994) 961
Alegría, A., J.M. Echave, F.J. Davis, W. Guo and G.R. Mitchell, Dielectric relaxation around the nematic–isotropic transition of liquid crystalline polymers 172–174 (1994) 966
Anagnostopoulou-Konsta, A., see Kalfas, C.A. 172–174 (1994) 1121
Anastasiadis, S.H., T. Jian and G. Fytas, Dynamic light scattering from diblock copolymer solutions 172–174 (1994) 1078
Anderson, J.E., The Debye–Falkenhagen effect: experimental fact or fiction? 172–174 (1994) 1190
Andreozzi, L., M.P. Fontana, F. Francia, M. Giordano, D. Leporini and M. Rateo, Microscopic transport properties in liquid crystalline polymeric matrices: dependence on the thermal history 172–174 (1994) 943
Angell, C.A., K. Binder, J. Colmenero, H.Z. Cummins, E.W. Fischer, D. Richter and H. Sillescu, Viscous liquids and glass transitions (Discussion session) 172–174 (1994) 420
Angell, C.A., see Fan, J. 172–174 (1994) 1178
Arbe, A., see Colmenero, J. 172–174 (1994) 126
Arbe, A., see Colmenero, J. 172–174 (1994) 229
Argon, A.S., see Bulatov, V.V. 172–174 (1994) 876
Arkhipov, V.I. and H. Bässler, A random-walk model of relaxations in supercooled melts 172–174 (1994) 396
Aserin, A., see Feldman, Y. 172–174 (1994) 1109
Ashley, C., see Schaefer, D.W. 172–174 (1994) 647
Badot, J.C., see Durand, B. 172–174 (1994) 1306
Baranek, M., M. Breslin and J.G. Berberian, Static viscosity of supercooled 3-bromopentane in mixtures with 3-methylpentane 172–174 (1994) 223
Bartolotta, A., G. Di Marco, M. Lanza and G. Carini, Anharmonic and relaxation effects in polymer electrolytes with singly charged cations 172–174 (1994) 1195
Bartolotta, A., G. Di Marco, M. Lanza and G. Carini, Polyethylene oxide–iron thiocyanate polymeric complexes: thermal and mechanical properties 172–174 (1994) 1328
Bartsch, E., V. Frenz and H. Sillescu, The glass transition of colloidal polystyrene micronetwork spheres – a dynamic light scattering study 172–174 (1994) 88
Baschnagel, J., see Lobe, B. 172–174 (1994) 384
Bässler, H., see Arkhipov, V.I. 172–174 (1994) 396
Bauwens, J.-C., see Hellinckx, S. 172–174 (1994) 1058
Bayard, J., see Dargent, E. 172–174 (1994) 1062
Beaucage, G., see Schaefer, D.W. 172–174 (1994) 647
Beaucage, G. and D.W. Schaefer, Structural studies of complex systems using small-angle scattering: a unified Guinier/power-law approach 172–174 (1994) 797
Bée, M., P. Derollez and M. Descamps, Relaxations near the glass transition of a molecular crystal 172–174 (1994) 520
Beiner, M., see Garwe, F. 172–174 (1994) 191
Belhadj-Tahar, N., see Durand, B. 172–174 (1994) 1306
Bello, A., see Lorenzo, V. 172–174 (1994) 644

0022-3093/94/$07.00 © 1994 Elsevier Science B.V. All rights reserved

Benavente, R., see Lorenzo, V. 172–174 (1994) 644
Benigno, A., see Fourkas, J.T. 172–174 (1994) 234
Berberian, J.G., see Breslin, M. 172–174 (1994) 218
Berberian, J.G., see Baranek, M. 172–174 (1994) 223
Berg, M., see Fourkas, J.T. 172–174 (1994) 234
Bergman, R., L. Börjesson, G. Fytas and L.M. Torell, Photon correlation study of structural relaxations in $NaCF_3SO_3$ containing polymer electrolytes 172–174 (1994) 830
Bermejo, F.J., E. Enciso, M. García-Hernandez, J.L. Martínez, B. Fåk and T. Mason, Relaxational dynamics in molecular glass formers 172–174 (1994) 167
Bernes, A., see Lacabanne, C. 172–174 (1994) 884
Bero, C.A., see Plazek, D.J. 172–174 (1994) 181
Bertilsson, H., see Delin, M. 172–174 (1994) 779
Binder, K., see Ray, P. 172–174 (1994) 204
Binder, K., see Lobe, B. 172–174 (1994) 384
Binder, K., see Angell, C.A. 172–174 (1994) 420
Binder, K., see Vollmayr, K. 172–174 (1994) 488
Blackburn, F.R., M.T. Cicerone, G. Hietpas, P.A. Wagner and M.D. Ediger, Cooperative motion in fragile liquids near the glass transition: probe reorientation in o-terphenyl and polystyrene 172–174 (1994) 256
Blinc, R., J. Dolinšek, B. Zalar and F. Milia, Proton and deuteron glasses: 1D and 2D NMR and NQR 172–174 (1994) 436
Blinc, R., see Tadić, B. 172–174 (1994) 449
Boehler, R., see Westerhoff, T. 172–174 (1994) 481
Böhmer, R., see Mondal, P. 172–174 (1994) 468
Böhmer, R., Non-linearity and non-exponentiality of primary relaxations 172–174 (1994) 628
Böhmer, R., M. Lotze, P. Lunkenheimer, F. Drexler, G. Gerhard and A. Loidl, Glassy, ceramic, and crystalline lithium aluminosilicates: charge transport and low-temperature specific heat studies 172–174 (1994) 1270
Boiteux, G., see Stéphan, F. 172–174 (1994) 1001
Boiteux, G., see Mathieu, C. 172–174 (1994) 1012
Bonincontro, A., see Briganti, G. 172–174 (1994) 1173
Börjesson, L., see Hassan, A.K. 172–174 (1994) 154
Börjesson, L., see Jacobsson, P. 172–174 (1994) 161
Börjesson, L., see Bergman, R. 172–174 (1994) 830
Borsa, F., see Svare, I. 172–174 (1994) 1300
Boyd, R., see Breslin, M. 172–174 (1994) 218
Bräuchle, C., see Schwalb, G. 172–174 (1994) 348
Bräuchle, C., see Diercksen, K. 172–174 (1994) 751
Breslin, M., R. Boyd and J.G. Berberian, Time study of the dielectric permittivity of supercooled 3-bromopentane during crystallization 172–174 (1994) 218
Breslin, M., see Baranek, M. 172–174 (1994) 223
Brey, J.J., A. Prados and M.J. Ruiz-Montero, Dynamical glassy behaviour on the basis of simple models described by master equations 172–174 (1994) 371
Briganti, G. and A. Bonincontro, Interfacial conformation and composition of $C_{12}E_6$ micelle in water inferred by dielectric spectroscopy 172–174 (1994) 1173
Brinkmann, D., NMR relaxation in Y–Ba–Cu–O superconductors 172–174 (1994) 461
Brow, R.K., see Green, P.F. 172–174 (1994) 1353
Brown, W., see Rizos, A.K. 172–174 (1994) 790
Bruchhäuser, F., see Westerhoff, T. 172–174 (1994) 481
Buchenau, U., Anharmonic effects in undercooled liquids 172–174 (1994) 391
Bueso F. Moscoso, L., A. Ribes-Greus and I. Alcaina-Miranda, Swelling studies on pervaporation by dynamic-mechanical spectroscopy 172–174 (1994) 1066
Bulatov, V.V. and A.S. Argon, Stochastic continuum simulations of structural relaxations in solids 172–174 (1994) 876
Bunde, A., M.D. Ingram and P. Maass, The dynamic structure model for ion transport in glasses 172–174 (1994) 1222
Bunde, A., see Meyer, M. 172–174 (1994) 1292

Carini, G., see Bartolotta, A. 172–174 (1994) 1195
Carini, G., see Bartolotta, A. 172–174 (1994) 1328
Carlini, C., A. Livi, P.A. Rolla and D. Fioretto, Dielectric behavior of n-butyl acrylate during polymerization reaction 172–174 (1994) 569
Cassettari, M., G. Salvetti, E. Tombari, S. Veronesi and G.P. Johari, Dielectrics and thermodynamics of a macromolecule's growth 172–174 (1994) 554
Castro, J., see Mira, J. 172–174 (1994) 491
Cates, M.E., see Marques, C.M. 172–174 (1994) 1168
Cavaillé, J.Y., see Montes, H. 172–174 (1994) 990
Cavaillé, J.Y., see Perez, J. 172–174 (1994) 1028
Chamberlin, R.V. and D.W. Kingsbury, Non-Debye and non-Arrhenius primary response of liquids, glasses, polymers and crystals 172–174 (1994) 318
Chang, I., F. Fujara, B. Geil, G. Heuberger, T. Mangel and H. Sillescu, Translational and rotational molecular motion in supercooled liquids studied by NMR and forced Rayleigh scattering 172–174 (1994) 248
Chang, I., F. Fujara, B. Geil, G. Hinze, H. Sillescu and A. Tölle, New perspectives of NMR in ul-

trahigh static magnetic field gradients 172–174 (1994) 674
Chay, I.-C., see Plazek, D.J. 172–174 (1994) 181
Christensen, T. and N.B. Olsen, Comparative measurements of the electrical and shear mechanical response functions in some supercooled liquids 172–174 (1994) 357
Christensen, T. and N.B. Olsen, Quasistatic measurements of the frequency-dependent bulk and shear modulus of supercooled liquids 172–174 (1994) 362
Chryssikos, G.D., J.A. Duffy, J.M. Hutchinson, M.D. Ingram, E.I. Kamitsos and A.J. Pappin, Lithium borate glasses: a quantitative study of strength and fragility 172–174 (1994) 378
Chu, B., Z. Zhou and G. Wu, Structure and dynamics of polymeric micelles in solution 172–174 (1994) 1094
Chung, S.H., see Stevens, J.R. 172–174 (1994) 1207
Cicerone, M.T., see Blackburn, F.R. 172–174 (1994) 256
Colby, R.H., see Fuller, G.G. 172–174 (1994) 668
Colmenero, J., A. Arbe and A. Alegría, The dynamics of the α- and β-relaxations in glass-forming polymers studied by quasielastic neutron scattering and dielectric spectroscopy 172–174 (1994) 126
Colmenero, J., A. Arbe, A. Alegría and K.L. Ngai, *Q*-dependence of the relaxation times of the α-relaxation as observed by quasielastic neutron scattering 172–174 (1994) 229
Colmenero, J., see Angell, C.A. 172–174 (1994) 420
Colmenero, J., see Elicegui, A. 172–174 (1994) 955
Colmenero, J., see Alegría, A. 172–174 (1994) 961
Cook, R.L., see Herbst, C.A. 172–174 (1994) 265
Cortés, P. and S. Montserrat, Physical aging of amorphous linear polyesters 172–174 (1994) 622
Cortés, P., see Montserrat, S. 172–174 (1994) 1017
Costa, L.C. and S.K. Mendiratta, Dielectric behaviour of Nd ions in the lead borate glass 172–174 (1994) 1324
Cuevas, E., see Ruiz, J. 172–174 (1994) 445
Cummins, H.Z., G. Li, W.M. Du and J. Hernandez, Structural relaxation dynamics in supercooled liquids 172–174 (1994) 26
Cummins, H.Z., see Li, G. 172–174 (1994) 43
Cummins, H.Z., see Angell, C.A. 172–174 (1994) 420
Cunat, Ch., see Illeková, E. 172–174 (1994) 597
Cutroni, M., P. Migliardo, A. Piccolo and C. Alba-Simionesco, Ultrasonic measurements on a fragile glass-forming liquid close to the glass transition 172–174 (1994) 201
Danner, R.P., see Duda, J.L. 172–174 (1994) 715
Daoud, M., see Lapp, A. 172–174 (1994) 862
Dargent, E., J.J. Santais, J.M. Saiter, J. Bayard and J. Grenet, Dielectric relaxations in drawn semicrystalline poly(ethylene terephthalate) 172–174 (1994) 1062
Darinskii, A., A. Lyulin and I. Neelov, Brownian dynamics of polymer chains in external fields of different symmetry 172–174 (1994) 794
Darinskii, A.A. and M.G. Saphiannikova, Kinetics of polymer chains in elongational flow 172–174 (1994) 932
Dattagupta, S., A dynamical model of supercooled liquids 172–174 (1994) 197
Dattagupta, S., see Tadić, B. 172–174 (1994) 449
David, L., A. Sekkat and S. Etienne, Molecular motions near the glass transition range and the fragility of glass-forming systems 172–174 (1994) 214
Davis, F.J., see Alegría, A. 172–174 (1994) 966
Dean, G.D., see Read, B.E. 172–174 (1994) 562
Deeg, F.W., see Schwalb, G. 172–174 (1994) 348
Deeg, F.W., see Diercksen, K. 172–174 (1994) 751
De la Torre, J.G., see López Cascales, J.J. 172–174 (1994) 823
Del Hierro-Navarro, P., see Sáenz de Juano-Arbona, V. 172–174 (1994) 1072
Del Val, J.J., see Elicegui, A. 172–174 (1994) 955
Delin, M., R.W. Rychwalski, J. Kubát, M.J. Kubát, H. Bertilsson and C. Klason, Volume changes during flow of solid polymers 172–174 (1994) 779
Demont, P., M. Diffalah, J.J. Martínez-Vega and C. Lacabanne, Study of molecular mobility at the secondary relaxations range in polyamide 66 and polyamide 66/EPR blends by thermally stimulated creep and current 172–174 (1994) 978
Derollez, P., see Bée, M. 172–174 (1994) 520
Descamps, M. and J.F. Willart, Slow non-equilibrium process in a glassy crystal 172–174 (1994) 510
Descamps, M., see Bée, M. 172–174 (1994) 520
Dhinojwala, A., J.C. Hooker and J.M. Torkelson, Retardation of rotational reorientation dynamics in polymers near the glass transition: a novel study over eleven decades in time using second-order nonlinear optics 172–174 (1994) 286
Di Marco, G., see Bartolotta, A. 172–174 (1994) 1195
Di Marco, G., see Bartolotta, A. 172–174 (1994) 1328
Dianoux, A.J., J.L. Sauvajol, G.R. Kneller and J.C. Smith, Dynamics of pristine and doped polyacetyl-

ene: a combined inelastic neutron scattering and computer simulation analysis 172–174 (1994) 472
Díaz Calleja, R., D. Radić and L. Gargallo, Relaxations in polymers derived from bisphenol-A 172–174 (1994) 907
Díaz Calleja, R., see Puértolas, J.A. 172–174 (1994) 950
Díaz Calleja, R., E. Saiz, E. Riande, L. Gargallo and D. Radić, Relaxation behaviour of semirigid chains in the amorphous state 172–174 (1994) 985
Díaz Calleja, R. and E. Riande García, Distribution of activation energies for secondary relaxations in polymers 172–174 (1994) 1037
Díaz Calleja, R., see Sáenz de Juano-Arbona, V. 172–174 (1994) 1072
Díaz Calleja, R., On splitting of the conductivity contributions from the dielectric loss 172–174 (1994) 1413
Dieckhöfer, J., see Kanert, O. 172–174 (1994) 1277
Diercksen, K., F.W. Deeg and C. Bräuchle, A dispersion step in the ultrasonic region of a nematic liquid single crystal elastomer 172–174 (1994) 751
Dieterich, W., D. Knödler and P. Pendzig, Relaxation of charged particles in disordered systems 172–174 (1994) 1237
Diffalah, M., see Demont, P. 172–174 (1994) 978
Dolinšek, J., see Blinc, R. 172–174 (1994) 436
Donth, E., see Garwe, F. 172–174 (1994) 191
Drexler, F., see Böhmer, R. 172–174 (1994) 1270
Du, W.M., see Cummins, H.Z. 172–174 (1994) 26
Du, W.M., see Li, G. 172–174 (1994) 43
Dublineau, P., see Mathieu, C. 172–174 (1994) 1012
Ducroux, J.-P., S.M. Rekhson and F.L. Merat, Structural relaxation in thermorheologically complex materials 172–174 (1994) 541
Duda, J.L., I.H. Romdhane and R.P. Danner, Diffusion in glassy polymers – relaxation and antiplasticization 172–174 (1994) 715
Duffy, J.A., see Chryssikos, G.D. 172–174 (1994) 378
Durand, B., G. Taillades, A. Pradel, M. Ribes, J.C. Badot and N. Belhadj-Tahar, Frequency dependence of conductivity in superionic conducting chalcogenide glasses 172–174 (1994) 1306
Dyre, J.C., see Riedel, T. 172–174 (1994) 1419
Dzugutov, M., Coupling between the structure and self-diffusion in the supercooled liquid dynamics regime 172–174 (1994) 353
Echave, J.M., see Alegría, A. 172–174 (1994) 966
Ediger, M.D., see Blackburn, F.R. 172–174 (1994) 256
Eiermann, P., see Rössler, E. 172–174 (1994) 113
Elicegui, A., J.J. del Val, J. Colmenero, G. Martínez and J. Millán, Influence of conformational microstructure in the molecular motions of poly(vinyl chloride) 172–174 (1994) 955
Elliott, S.R., Calculation of the dc conductivity activation energy of ionically conducting glasses 172–174 (1994) 1343
Enciso, E., see Bermejo, F.J. 172–174 (1994) 167
Ermolina, I., V. Fedotov, Y. Feldman and I. Ivoylov, Investigation of molecular motion and interprotein interactions in solutions by TDDS: a comparison with NMR data 172–174 (1994) 1103
Etienne, S., see David, L. 172–174 (1994) 214
Ewen, B., D. Richter, B. Farago and B. Stühn, Neutron spin echo investigations on the segmental dynamics in semidilute polymer solutions under Θ- and good solvent conditions 172–174 (1994) 1023
Ezrahi, S., see Feldman, Y. 172–174 (1994) 1109

Fåk, B., see Bermejo, F.J. 172–174 (1994) 167
Falo, F., see Puértolas, J.A. 172–174 (1994) 1202
Fan, J., R.F. Marzke, E. Sanchez and C.A. Angell, Conductivity and nuclear spin relaxation in superionic glasses, polymer electrolytes and the new polymer-in-salt electrolyte 172–174 (1994) 1178
Farago, B., see Schaefer, D.W. 172–174 (1994) 647
Farago, B., see Lapp, A. 172–174 (1994) 862
Farago, B., see Ewen, B. 172–174 (1994) 1023
Fatkullin, N., see Kimmich, R. 172–174 (1994) 689
Fedotov, V., see Ermolina, I. 172–174 (1994) 1103
Feile, R., see Westerhoff, T. 172–174 (1994) 481
Feldman, Y., see Ermolina, I. 172–174 (1994) 1103
Feldman, Y., N. Kozlovich, I. Nir, A. Aserin, S. Ezrahi and N. Garti, Time domain dielectric study of non-ionic microemulsions 172–174 (1994) 1109
Fetters, L.J., see Frick, B. 172–174 (1994) 272
Fioretto, D., see Carlini, C. 172–174 (1994) 569
Fioretto, D., L. Palmieri, G. Socino and L. Verdini, Study of the structural relaxation of polyacrylates by Brillouin light spectroscopy 172–174 (1994) 1130
Fischer, D.A., see Schaefer, D.W. 172–174 (1994) 647
Fischer, E.W., see Steffen, W. 172–174 (1994) 37
Fischer, E.W., see Patkowski, A. 172–174 (1994) 52

Fischer, E.W., see Angell, C.A. 172–174 (1994) 420
Floudas, G., Change of microscopic friction in concentrated polystyrene solutions 172–174 (1994) 729
Floudas, G., see Rizos, A.K. 172–174 (1994) 790
Fontana, M.P., see Andreozzi, L. 172–174 (1994) 943
Fourkas, J.T., A. Benigno and M. Berg, Completely non-polar solvation as a probe of mechanical relaxation in glass-forming liquids 172–174 (1994) 234
Francia, F., see Andreozzi, L. 172–174 (1994) 943
Frenz, V., see Bartsch, E. 172–174 (1994) 88
Frick, B., D. Richter, R. Zorn and L.J. Fetters, The fast relaxation process near the glass transition in amorphous polymers with different microstructure 172–174 (1994) 272
Frick, B., see Schaefer, D.W. 172–174 (1994) 647
Fricke, M., see Küchler, R. 172–174 (1994) 1373
Fuchs, M., see Li, G. 172–174 (1994) 43
Fuchs, M., The Kohlrausch law as a limit solution to mode coupling equations 172–174 (1994) 241
Fujara, F., see Chang, I. 172–174 (1994) 248
Fujara, F., see Chang, I. 172–174 (1994) 674
Fujimori, H. and M. Oguni, Non-exponentiality of the enthalpy relaxation under constant-temperature conditions in the time domain in supercooled liquids and glasses 172–174 (1994) 601
Fukao, K. and Y. Miyamoto, Dielectric relaxation of isotactic polystyrene and defect diffusion model 172–174 (1994) 365
Fuller, G.G., J.A. Zawada and R.H. Colby, Investigating miscible polymer blend dynamics with optical and mechanical rheometry 172–174 (1994) 668
Funke, K., Jump relaxation model and coupling model – a comparison 172–174 (1994) 1215
Fytas, G., see Bergman, R. 172–174 (1994) 830
Fytas, G., see Anastasiadis, S.H. 172–174 (1994) 1078

Galam, S. and A. Mauger, Renormalizing time in critical phenomena 172–174 (1994) 408
Galam, S., Steric hindrance and percolation in orientational glasses 172–174 (1994) 453
García-Hernandez, M., see Bermejo, F.J. 172–174 (1994) 167
Gargallo, L., see Díaz Calleja, R. 172–174 (1994) 907
Gargallo, L., see Díaz Calleja, R. 172–174 (1994) 985
Garti, N., see Feldman, Y. 172–174 (1994) 1109
Garwe, F., M. Beiner, E. Hempel, J. Schawe, K. Schröter, A. Schönhals and E. Donth, Thermal response in the splitting region of the dynamic glass transition 172–174 (1994) 191
Geil, B., see Chang, I. 172–174 (1994) 248
Geil, B., see Chang, I. 172–174 (1994) 674
Gerhard, G., see Böhmer, R. 172–174 (1994) 1270
Giordano, M., see Andreozzi, L. 172–174 (1994) 943
Golovachev, G., see Gotlib, Y. 172–174 (1994) 850
Gómez Ribelles, J.L., see Kyritsis, A. 172–174 (1994) 1041
González, L., see Marcos, A. 172–174 (1994) 1125
Gotlib, Y. and G. Golovachev, The relaxation of the polymer networks with interchain friction 172–174 (1994) 850
Gotlib, Y., Model theories of the interaction between structural and local orientational relaxation processes in polymeric systems 172–174 (1994) 855
Götze, W., see Sjögren, L. 172–174 (1994) 7
Götze, W. and L. Sjögren, Mesoscopic relaxation near glass transition singularities 172–174 (1994) 16
Götze, W., see Li, G. 172–174 (1994) 43
Granick, S., see Hu, H.-W. 172–174 (1994) 721
Greaves, G.N. and K.L. Ngai, Ionic transport properties in oxide glasses derived from atomic structure 172–174 (1994) 1378
Green, P.F., Translational dynamics in binary homopolymer mixtures 172–174 (1994) 815
Green, P.F., D. Sidebottom and R.K. Brow, Relaxations in mixed alkali metaphosphate glass 172–174 (1994) 1353
Grenet, J., see Saiter, J.M. 172–174 (1994) 640
Grenet, J., see Dargent, E. 172–174 (1994) 1062
G'sell, C., see Aboulfaraj, M. 172–174 (1994) 615
Gu, S.H., see Wang, C.H. 172–174 (1994) 705
Guan, H.W., see Wang, C.H. 172–174 (1994) 705
Gugenberger, F., see Mondal, P. 172–174 (1994) 468
Guo, W., see Alegría, A. 172–174 (1994) 966

Hackmann, A., see Kanert, O. 172–174 (1994) 1424
Hadjichristidis, N., see Rizos, A.K. 172–174 (1994) 786
Halalay, I.C., Y. Yang and K.A. Nelson, Time-resolved measurements of scaling behavior in $LiCl/H_2O$ near the liquid-glass transition 172–174 (1994) 175
Halvorson, K.E., see Marzke, R.F. 172–174 (1994) 401
Hammouda, B., Random phase approximation for compressible polymer blends 172–174 (1994) 927
Hamou, A., see Saiter, J.M. 172–174 (1994) 580
Hanaya, M., M. Nakayama and M. Oguni, Remarkable non-exponentiality of the enthalpy relaxation in fast ion conducting glass $(AgI)_{0.5}$-$(AgPO_3)_{0.5}$ far from equilibrium 172–174 (1994) 608
Hanaya, M., see Nakayama, M. 172–174 (1994) 1252
Hase, H., see Takahashi, Y. 172–174 (1994) 911
Hassan, A.K., L. Börjesson and L.M. Torell, The boson peak in glass formers of increasing fragility 172–174 (1994) 154

Hassan, A.K., see Jacobsson, P. 172–174 (1994) 161
Hasz, W.C., C.T. Moynihan and P.A. Tick, Electrical relaxation in a CdF_2–LiF–AlF_3–PbF_2 glass and melt 172–174 (1994) 1363
Hatate, A., see Nakayama, M. 172–174 (1994) 1252
Havriliak, S.J., see Havriliak Jr., S. 172–174 (1994) 297
Havriliak Jr., S. and S.J. Havriliak, Results from an unbiased analysis of nearly 1000 sets of relaxation data 172–174 (1994) 297
Heaton, N., D. Reimer and G. Kothe, Collective chain motions and the glass transition in thermotropic liquid crystal polymers. A transverse deuteron spin relaxation study 172–174 (1994) 917
Hellinckx, S., N. Heymans and J.-C. Bauwens, Analytical and fractal descriptions of non-linear mechanical behaviour of polymers 172–174 (1994) 1058
Hempel, E., see Garwe, F. 172–174 (1994) 191
Herbst, C.A., R.L. Cook and H.E. King Jr., Density-mediated transport and the glass transition: high pressure viscosity measurements in the diamond anvil cell 172–174 (1994) 265
Hernandez, J., see Cummins, H.Z. 172–174 (1994) 26
Hernandez, J., see Li, G. 172–174 (1994) 43
Hersht, I. and Y. Rabin, Shear melting of solid-like boundary layers in thin liquid films 172–174 (1994) 857
Heuberger, G., see Chang, I. 172–174 (1994) 248
Heymans, N., see Hellinckx, S. 172–174 (1994) 1058
Hietpas, G., see Blackburn, F.R. 172–174 (1994) 256
Hinze, G., see Chang, I. 172–174 (1994) 674
Hirano, H., see Adachi, K. 172–174 (1994) 661
Hooker, J.C., see Dhinojwala, A. 172–174 (1994) 286
Horoyski, P., see Stevens, J.R. 172–174 (1994) 1207
Hsieh, C.H., see Jain, H. 172–174 (1994) 1408
Hu, H.-W., S. Granick and K.S. Schweizer, Static and dynamical structure of confined polymer films 172–174 (1994) 721
Huang, W.C., see Jain, H. 172–174 (1994) 1334
Hutchinson, J.M., see Chryssikos, G.D. 172–174 (1994) 378
Hutchinson, J.M., see Pappin, A.J. 172–174 (1994) 584
Hutchinson, J.M. and U. Kriesten, Physical aging and enthalpy relaxation in polypropylene 172–174 (1994) 592
Hutchinson, J.M., see Montserrat, S. 172–174 (1994) 1017
Hvidt, S., see Jørgensen, E.B. 172–174 (1994) 972
Hwang, E.-J., see Osaki, K. 172–174 (1994) 838

Ilavsky, M., H.W. Ulmer, K. te Nijenhuis and W.J. Mijs, Structure and viscoelastic behaviour of polyurethane networks from triisocyanate and polyols with different structures 172–174 (1994) 935
Illeková, E. and Ch. Cunat, An extended review of structural relaxation models with the mutual correlation of their parameters 172–174 (1994) 597
Ingram, M.D., see Chryssikos, G.D. 172–174 (1994) 378
Ingram, M.D., see Pappin, A.J. 172–174 (1994) 584
Ingram, M.D., see Bunde, A. 172–174 (1994) 1222
Inoue, T., see Osaki, K. 172–174 (1994) 838
Ivoylov, I., see Ermolina, I. 172–174 (1994) 1103

Jäckle, J., Models of cooperative dynamics near the glass transition 172–174 (1994) 104
Jacobsson, P., L. Börjesson, A.K. Hassan and L.M. Torell, Reorientational motion of the NO_3^- ion through the liquid-glass transition in $Ca_{0.4}K_{0.6}(NO_3)_{1.4}$ and $Ca(NO_3)_2 + 8H_2O$ 172–174 (1994) 161
Jain, H., see Kanert, O. 172–174 (1994) 1277
Jain, H. and W.C. Huang, Importance of structure in electrical conductivity relaxation 172–174 (1994) 1334
Jain, H., see Küchler, R. 172–174 (1994) 1373
Jain, H. and C.H. Hsieh, 'Window' effect in the analysis of frequency dependence of ionic conductivity 172–174 (1994) 1408
Jain, H., see Lu, X. 172–174 (1994) 1436
Jannink, G., see Lapp, A. 172–174 (1994) 862
Jean, Y.C. and H. Shi, Positronium lifetime in an ellipsoidal free-volume hole of polymers 172–174 (1994) 806
Jeffrey, K.R., see Stevens, J.R. 172–174 (1994) 1207
Jensen, J.H., see Jørgensen, E.B. 172–174 (1994) 972
Jian, T., see Anastasiadis, S.H. 172–174 (1994) 1078
Johari, G.P., see Cassettari, M. 172–174 (1994) 554
Jørgensen, E.B., J.H. Jensen and S. Hvidt, Gelation and micellization of aqueous solutions of a triblock copolymer 172–174 (1994) 972

Kaji, K., see Kanaya, T. 172–174 (1994) 327
Kalfas, C.A., E.G. Sideris, G.K. Loukakis and A. Anagnostopoulou-Konsta, Rotational correlation times in irradiated DNA 172–174 (1994) 1121
Kamitsos, E.I., see Chryssikos, G.D. 172–174 (1994) 378
Kanaya, T., T. Kawaguchi and K. Kaji, Low energy excitation and fast motion near T_g in amorphous polymers 172–174 (1994) 327
Kanert, O., R. Küchler, J. Dieckhöfer, X. Lu, H. Jain and K.L. Ngai, Study of low-frequency excitations in disordered solids by nuclear magnetic resonance and electrical conductivity 172–174 (1994) 1277

Kanert, O., see Küchler, R. 172–174 (1994) 1373
Kanert, O., A. Hackmann, R. Küchler and K.L. Ngai, Nuclear spin relaxation in electrolyte glasses 172–174 (1994) 1424
Kanert, O., see Lu, X. 172–174 (1994) 1436
Katerinopoulos, H., see Santangelo, P.G. 172–174 (1994) 1084
Kawaguchi, T., see Kanaya, T. 172–174 (1994) 327
Kieffer, J., High-frequency structural relaxation in sodium silicates – A molecular dynamic study 172–174 (1994) 1285
Kimmich, R., N. Fatkullin, H.W. Weber and S. Stapf, Nuclear spin–lattice relaxation and theories of polymer dynamics 172–174 (1994) 689
King Jr., H.E., see Herbst, C.A. 172–174 (1994) 265
Kingsbury, D.W., see Chamberlin, R.V. 172–174 (1994) 318
Kisliuk, A., see Sokolov, A.P. 172–174 (1994) 138
Kivelson, D., see Zeng, X.-C. 172–174 (1994) 61
Klason, C., see Delin, M. 172–174 (1994) 779
Klein, M.W., see Solf, M.P. 172–174 (1994) 531
Knauss, L.A., see Toulouse, J. 172–174 (1994) 538
Kneller, G.R., see Dianoux, A.J. 172–174 (1994) 472
Knödler, D., see Dieterich, W. 172–174 (1994) 1237
Kotaka, T., see Adachi, K. 172–174 (1994) 661
Kothe, G., see Heaton, N. 172–174 (1994) 917
Kozlovich, N., see Feldman, Y. 172–174 (1994) 1109
Kranbuehl, D.E. and P.H. Verdier, Stretched exponential relaxation behavior of off-lattice polymer chains 172–174 (1994) 996
Kremer, F., see Schönhals, A. 172–174 (1994) 336
Kriesten, U., see Hutchinson, J.M. 172–174 (1994) 592
Kubát, J., see Delin, M. 172–174 (1994) 779
Kubát, M.J., see Delin, M. 172–174 (1994) 779
Küchler, R., see Kanert, O. 172–174 (1994) 1277
Küchler, R., O. Kanert, M. Fricke, H. Jain and K.L. Ngai, Study of nuclear spin relaxation in CLAP glasses 172–174 (1994) 1373
Küchler, R., see Kanert, O. 172–174 (1994) 1424
Kudlik, A., see Sokolov, A.P. 172–174 (1994) 138
Kyritsis, A., P. Pissis, J.L. Gómez Ribelles and M. Monleón Pradas, Dielectric relaxation spectroscopy in PHEA hydrogels 172–174 (1994) 1041
Kyritsis, A., P. Pissis, C. Tsonos, J. Laudat and J. Ren, Dielectric and conductivity relaxation in dry and humid solid PEO electrolytes 172–174 (1994) 1431

Lacabanne, C., A. Lamure, G. Teyssedre, A. Bernes and M. Mourgues, Study of cooperative relaxation modes in complex systems by thermally stimulated current spectroscopy 172–174 (1994) 884
Lacabanne, C., see Demont, P. 172–174 (1994) 978
Lamure, A., see Lacabanne, C. 172–174 (1994) 884
Langevin, D., see Saiter, J.M. 172–174 (1994) 640
Lanza, M., see Bartolotta, A. 172–174 (1994) 1195
Lanza, M., see Bartolotta, A. 172–174 (1994) 1328
Lapp, A., M. Daoud, G. Jannink and B. Farago, Dynamics of cross-linked polymers 172–174 (1994) 862
Latz, A., see Li, G. 172–174 (1994) 43
Laudat, J., see Kyritsis, A. 172–174 (1994) 1431
Lebaudy, P., see Saiter, J.M. 172–174 (1994) 640
Leisen, J., K. Schmidt-Rohr and H.W. Spiess, Multidimensional ^{2}H NMR studies of the non-exponential chain relaxation of polystyrene above the glass transition 172–174 (1994) 737
Leporini, D., see Andreozzi, L. 172–174 (1994) 943
Lewis, L.J. and G. Wahnström, Rotational dynamics in *ortho*-terphenyl: a microscopic view 172–174 (1994) 69
Li, G., see Cummins, H.Z. 172–174 (1994) 26
Li, G., M. Fuchs, W.M. Du, A. Latz, N.J. Tao, J. Hernandez, W. Götze and H.Z. Cummins, Light-scattering study of β-relaxation in $CaKNO_3$ and salol near the liquid-glass transition: idealized and extended mode coupling theory analysis 172–174 (1994) 43
Lim, B.S., see Nowick, A.S. 172–174 (1994) 1243
Lim, B.S., see Nowick, A.S. 172–174 (1994) 1389
Linares, A. and J.L. Acosta, Compatibility of binary and ternary blends from their thermal and dielectric properties. A comparative study 172–174 (1994) 1053
Livi, A., see Carlini, C. 172–174 (1994) 569
Lobe, B., J. Baschnagel and K. Binder, Monte Carlo simulation of the glass transition in two- and three-dimensional polymer melts 172–174 (1994) 384
Loidl, A., see Mondal, P. 172–174 (1994) 468
Loidl, A., see Böhmer, R. 172–174 (1994) 1270
Lopez-Quintela, M.A., see Mira, J. 172–174 (1994) 491
López Cascales, J.J. and J.G. de la Torre, Simulation of deformation and fracture of polymer chains in flowing solutions 172–174 (1994) 823
Lorenzo, V., J.M. Pereña, E. Pérez, R. Benavente and A. Bello, The activation energy spectrum for the enthalpy relaxation of a glassy liquid crystalline polymer: memory effects 172–174 (1994) 644
Lotze, M., see Böhmer, R. 172–174 (1994) 1270
Loukakis, G.K., see Kalfas, C.A. 172–174 (1994) 1121

Lu, X., see Kanert, O. 172–174 (1994) 1277
Lu, X., H. Jain and O. Kanert, Low-temperature electrical conductivity of oxide glasses 172–174 (1994) 1436
Lunkenheimer, P., see Mondal, P. 172–174 (1994) 468
Lunkenheimer, P., see Böhmer, R. 172–174 (1994) 1270
Lyulin, A., see Darinskii, A. 172–174 (1994) 794

Maass, P., see Bunde, A. 172–174 (1994) 1222
Maass, P., see Meyer, M. 172–174 (1994) 1292
Mahia, J., see Mira, J. 172–174 (1994) 491
Málek, J. and R. Švejka, Dilatometric measurement of structural relaxation in $Ge_{38}S_{62}$ glass 172–174 (1994) 635
Mangel, T., see Chang, I. 172–174 (1994) 248
Mangelinck, D., see Aboulfaraj, M. 172–174 (1994) 615
Marchal, E., A new way of interpreting thermally stimulated depolarization currents of polymers using the coupling model in a broad temperature range 172–174 (1994) 902
Marcos, A., A. Rodríguez and L. González, Dynamic properties of copolyetherureas 172–174 (1994) 1125
Marques, C.M., M.S. Turner and M.E. Cates, Relaxation mechanisms in worm-like micelles 172–174 (1994) 1168
Martin, J.E. and J. Odinek, Light scattering studies of the electrorheological transition 172–174 (1994) 1135
Martin, J.E., see Wilcoxon, J.P. 172–174 (1994) 1142
Martin, S.W., see Svare, I. 172–174 (1994) 1300
Martínez, G., see Elicegui, A. 172–174 (1994) 955
Martínez, J.L., see Bermejo, F.J. 172–174 (1994) 167
Martínez-Vega, J.J., see Demont, P. 172–174 (1994) 978
Marzke, R.F., D.P. Raffaelle, K.E. Halvorson and G.H. Wolf, A ^1H NMR study of glycerol at high pressure 172–174 (1994) 401
Marzke, R.F., see Fan, J. 172–174 (1994) 1178
Mashimo, S., Structure of water in pure liquid and biosystem 172–174 (1994) 1117
Mason, T., see Bermejo, F.J. 172–174 (1994) 167
Mathieu, C., G. Boiteux, G. Seytre, R. Villain and P. Dublineau, Microdielectric analysis of the polymerization of an epoxy–amine system 172–174 (1994) 1012
Matsuoka, S., Cooperative conformational relaxation 172–174 (1994) 344
Mauger, A., see Galam, S. 172–174 (1994) 408
Mazeau, K., see Montes, H. 172–174 (1994) 990
Mazenko, G.F. and J. Yeo, Metastability, mode coupling and the glass transition 172–174 (1994) 1
McGrath, K.J. and C.M. Roland, Concentration fluctuations and dynamic heterogeneity in PIP/PVE blends 172–174 (1994) 891
McGrath, K.J., J.B. Miller and C.M. Roland, Miscibility in poly(vinylethylene)/poly(isoprene) blends 172–174 (1994) 897
McKenna, G.B., see Aboulfaraj, M. 172–174 (1994) 615
McKenna, G.B., Dilatometric evidence for the apparent decoupling of glassy structure from the mechanical stress field 172–174 (1994) 756
Meier, G., see Steffen, W. 172–174 (1994) 37
Meier, G., see Patkowski, A. 172–174 (1994) 52
Meingast, C., see Mondal, P. 172–174 (1994) 468
Mendiratta, S.K., see Costa, L.C. 172–174 (1994) 1324
Merat, F.L., see Ducroux, J.-P. 172–174 (1994) 541
Meyer, M., P. Maass and A. Bunde, Conductivity and spin lattice relaxation in disordered ionic conductors 172–174 (1994) 1292
Migliardo, P., see Cutroni, M. 172–174 (1994) 201
Miguel, M.C., see Rubí, J.M. 172–174 (1994) 495
Mijs, W.J., see Ilavsky, M. 172–174 (1994) 935
Milia, F., see Blinc, R. 172–174 (1994) 436
Millán, J., see Elicegui, A. 172–174 (1994) 955
Miller, J.B., see McGrath, K.J. 172–174 (1994) 897
Mira, J., J. Castro, J. Mahia, C. Vazquez-Vazquez, M.A. Lopez-Quintela, J. Rivas and S.B. Oseroff, Relaxation of dc magnetization in Gd_2CuO_4 172–174 (1994) 491
Mitchell, G.R., see Alegría, A. 172–174 (1994) 966
Miyamoto, Y., see Fukao, K. 172–174 (1994) 365
Mochena, M., see Ruiz, J. 172–174 (1994) 445
Mondal, P., P. Lunkenheimer, R. Böhmer, A. Loidl, F. Gugenberger, P. Adelmann and C. Meingast, Dielectric relaxation dynamics in C_{60} and C_{70} 172–174 (1994) 468
Monleón Pradas, M., see Kyritsis, A. 172–174 (1994) 1041
Montes, H., J.Y. Cavaillé and K. Mazeau, Secondary relaxations in amorphous cellulose 172–174 (1994) 990
Montserrat, S., see Cortés, P. 172–174 (1994) 622
Montserrat, S., P. Cortés, A.J. Pappin, K.H. Quah and J.M. Hutchinson, Structural relaxation in fully cured epoxy resins 172–174 (1994) 1017
Morancho, J.M. and J.M. Salla, Influence of a carboxyl-terminated modifier (CTBN) on the cure of an epoxy resin 172–174 (1994) 656
Mourgues, M., see Lacabanne, C. 172–174 (1994) 884
Moynihan, C.T., see Hasz, W.C. 172–174 (1994) 1363
Moynihan, C.T., Analysis of electrical relaxation in glasses and melts with large concentrations of mobile ions 172–174 (1994) 1395
Muzeau, E., G. Vigier and R. Vas-

soille, Physical aging phenomena in an amorphous polymer at temperatures far below the glass transition 172–174 (1994) 575

Nakayama, M., see Hanaya, M. 172–174 (1994) 608

Nakayama, M., M. Hanaya, A. Hatate and M. Oguni, Glass structure and energetic environment around conducting Ag^+ ion in AgI-based fast ion conducting glasses $(AgI)_x$-$(AgPO_3)_{1-x}$ studied by calorimetry and dielectric measurement 172–174 (1994) 1252

Nakayama, N., see Nanzai, Y. 172–174 (1994) 771

Nanzai, Y., see Yoshioka, S. 172–174 (1994) 765

Nanzai, Y. and N. Nakayama, Highly cooperative relaxation in glassy styrene–acrylonitrile copolymer induced by large deformation 172–174 (1994) 771

Neelov, I., see Darinskii, A. 172–174 (1994) 794

Nelson, K.A., see Halalay, I.C. 172–174 (1994) 175

Ngai, K.L., see Colmenero, J. 172–174 (1994) 229

Ngai, K.L., see Tringides, M.C. 172–174 (1994) 412

Ngai, K.L., see Rizos, A.K. 172–174 (1994) 786

Ngai, K.L., see Roland, C.M. 172–174 (1994) 868

Ngai, K.L., see Santangelo, P.G. 172–174 (1994) 1084

Ngai, K.L., see Kanert, O. 172–174 (1994) 1277

Ngai, K.L., see Küchler, R. 172–174 (1994) 1373

Ngai, K.L., see Greaves, G.N. 172–174 (1994) 1378

Ngai, K.L., see Kanert, O. 172–174 (1994) 1424

Nguyen, T., see Rault, J. 172–174 (1994) 733

Nir, I., see Feldman, Y. 172–174 (1994) 1109

Noda, I., see Takahashi, Y. 172–174 (1994) 911

Nowick, A.S., B.S. Lim and A.V. Vaysleyb, Nature of the ac conductivity of ionically conducting crystals and glasses 172–174 (1994) 1243

Nowick, A.S. and B.S. Lim, Analysis of ac conductivity data for $Na_2O \cdot 3SiO_2$ glass by stretched exponential and Jonscher power-law methods 172–174 (1994) 1389

Odinek, J., see Martin, J.E. 172–174 (1994) 1135

Odinek, J., see Wilcoxon, J.P. 172–174 (1994) 1142

Oguni, M., see Fujimori, H. 172–174 (1994) 601

Oguni, M., see Hanaya, M. 172–174 (1994) 608

Oguni, M., see Nakayama, M. 172–174 (1994) 1252

Okamoto, H., see Osaki, K. 172–174 (1994) 838

Olivier, B.J., see Schaefer, D.W. 172–174 (1994) 647

Olsen, N.B., see Christensen, T. 172–174 (1994) 357

Olsen, N.B., see Christensen, T. 172–174 (1994) 362

Onuki, A., Dynamic scattering and phase separation in viscoelastic two-component fluids 172–174 (1994) 1151

Orešič, M. and R. Pirc, Monte Carlo simulation of a quasi one-dimensional spin glass 172–174 (1994) 506

Oriol, L., see Puértolas, J.A. 172–174 (1994) 950

Ortuño, M., see Ruiz, J. 172–174 (1994) 445

Osaki, K., T. Inoue, E.-J. Hwang, H. Okamoto and O. Takiguchi, Dynamic birefringence of amorphous polymers 172–174 (1994) 838

Oseroff, S.B., see Mira, J. 172–174 (1994) 491

Palmieri, L., see Fioretto, D. 172–174 (1994) 1130

Pappin, A.J., see Chryssikos, G.D. 172–174 (1994) 378

Pappin, A.J., J.M. Hutchinson and M.D. Ingram, The appearance of annealing pre-peaks in inorganic glasses: new experimental results and theoretical interpretation 172–174 (1994) 584

Pappin, A.J., see Montserrat, S. 172–174 (1994) 1017

Patkowski, A., see Steffen, W. 172–174 (1994) 37

Patkowski, A., W. Steffen, G. Meier and E.W. Fischer, Mode-coupling and phenomenological analysis of the depolarized light scattering spectra of ortho-terphenyl 172–174 (1994) 52

Patterson, G.D. and J.R. Stevens, Dynamic heterogeneity near the glass transition 172–174 (1994) 311

Pattnaik, R., see Toulouse, J. 172–174 (1994) 538

Paul, W., Computer modelling of the polymer glass transition 172–174 (1994) 682

Pendzig, P., see Dieterich, W. 172–174 (1994) 1237

Pereña, J.M., see Lorenzo, V. 172–174 (1994) 644

Pérez, E., see Lorenzo, V. 172–174 (1994) 644

Perez, J. and J.Y. Cavaillé, Temperature dependence of the molecular dynamics in amorphous polymers through the rubber–glass transition 172–174 (1994) 1028

Pérez-Madrid, A., see Rubí, J.M. 172–174 (1994) 495

Phillips, J.C., Microscopic theory of the Kohlrausch relaxation constant β_K 172–174 (1994) 98

Piccolo, A., see Cutroni, M. 172–174 (1994) 201

Ping, Z.H., see Rault, J. 172–174 (1994) 733

Pirc, R., see Tadić, B. 172–174 (1994) 449

Pirc, R., see Orešič, M. 172–174 (1994) 506

Pispas, S., see Rizos, A.K. 172–174 (1994) 786

Pissis, P., see Kyritsis, A. 172–174 (1994) 1041

Pissis, P., see Kyritsis, A. 172–174 (1994) 1431

Plazek, D.J., C.A. Bero and I.-C. Chay, The recoverable compliance of amorphous materials 172–174 (1994) 181

Pollak, M., see Ruiz, J. 172–174 (1994) 445

Pradel, A., see Durand, B. 172–174 (1994) 1306

Pradel, A. and M. Ribes, Ion transport in superionic conducting glasses 172–174 (1994) 1315

Prados, A., see Brey, J.J. 172–174 (1994) 371

Puértolas, J.A., L. Oriol and R. Díaz Calleja, Dielectric and mechanical behaviour of a copper (II) metallomesogenic homopolymer 172–174 (1994) 950
Puértolas, J.A. and F. Falo, Study of the diffusion in disordered ionic conductors by Langevin molecular dynamics 172–174 (1994) 1202

Quah, K.H., see Montserrat, S. 172–174 (1994) 1017
Quitmann, D., see Rössler, E. 172–174 (1994) 113
Quitmann, D., see Sokolov, A.P. 172–174 (1994) 138

Rabin, Y., see Hersht, I. 172–174 (1994) 857
Radić, D., see Díaz Calleja, R. 172–174 (1994) 907
Radić, D., see Díaz Calleja, R. 172–174 (1994) 985
Raffaelle, D.P., see Marzke, R.F. 172–174 (1994) 401
Rateo, M., see Andreozzi, L. 172–174 (1994) 943
Rault, J., Z.H. Ping and T. Nguyen, The T_g regulation effect in hydrophilic polymers 172–174 (1994) 733
Ray, P. and K. Binder, Glass transition relaxations in 2D polymer melts – a Monte Carlo simulation study 172–174 (1994) 204
Read, B.E., G.D. Dean and P.E. Tomlins, Creep and physical aging of PVC: dependence on stress and temperature 172–174 (1994) 562
Reger, J.D., see Vollmayr, K. 172–174 (1994) 488
Reimer, D., see Heaton, N. 172–174 (1994) 917
Rekhson, S.M., see Ducroux, J.-P. 172–174 (1994) 541
Ren, J., see Kyritsis, A. 172–174 (1994) 1431
Riande, E., see Díaz Calleja, R. 172–174 (1994) 985
Riande García, E., see Díaz Calleja, R. 172–174 (1994) 1037
Ribes-Greus, A., see Bueso, L. 172–174 (1994) 1066
Ribes-Greus, A., see Sáenz de Juano-Arbona, V. 172–174 (1994) 1072
Ribes, M., see Durand, B. 172–174 (1994) 1306
Ribes, M., see Pradel, A. 172–174 (1994) 1315
Richert, R., Homogeneous dispersion of dielectric responses in a simple glass 172–174 (1994) 209
Richter, D., see Frick, B. 172–174 (1994) 272
Richter, D., see Angell, C.A. 172–174 (1994) 420
Richter, D., see Schaefer, D.W. 172–174 (1994) 647
Richter, D., see Ewen, B. 172–174 (1994) 1023
Riedel, T. and J.C. Dyre, Low temperature universality in computer simulations of the macroscopic model for ac conduction in disordered solids 172–174 (1994) 1419
Rivas, J., see Mira, J. 172–174 (1994) 491
Rizos, A.K., K.L. Ngai, S. Pispas and N. Hadjichristidis, Solvent reorientation in block copolymer solutions 172–174 (1994) 786
Rizos, A.K., G. Floudas and W. Brown, Local and global motions in concentrated solutions of poly(methyl methacrylate)/bis(2-ethylhexyl phthalate) 172–174 (1994) 790
Rizos, A.K., see Santangelo, P.G. 172–174 (1994) 1084
Rodríguez, A., see Marcos, A. 172–174 (1994) 1125
Roe, R.J., Molecular dynamics simulation study of short time dynamics in polymer liquid and glass 172–174 (1994) 77
Roland, C.M. and K.L. Ngai, Constraint dynamics and chemical structure 172–174 (1994) 868
Roland, C.M., see McGrath, K.J. 172–174 (1994) 891
Roland, C.M., see McGrath, K.J. 172–174 (1994) 897
Roland, C.M., see Santangelo, P.G. 172–174 (1994) 1084
Rolla, P.A., see Carlini, C. 172–174 (1994) 569
Romdhane, I.H., see Duda, J.L. 172–174 (1994) 715
Roovers, J. and F. Wang, Viscoelastic properties of blends of miscible polymers and their diblock copolymers 172–174 (1994) 698
Rössler, E., U. Warschewske, P. Eiermann, A.P. Sokolov and D. Quitmann, Indications for a change of transport mechanism in supercooled liquids and the dynamics close and below T_g 172–174 (1994) 113
Rössler, E., see Sokolov, A.P. 172–174 (1994) 138
Rubí, J.M., A. Pérez-Madrid and M.C. Miguel, Relaxation dynamics in systems of magnetic particles 172–174 (1994) 495
Ruiz, J., E. Cuevas, M. Ortuño, J. Talamantes, M. Mochena and M. Pollak, Relaxation effects in the Coulomb glass 172–174 (1994) 445
Ruiz-Montero, M.J., see Brey, J.J. 172–174 (1994) 371
Rychwalski, R.W., see Delin, M. 172–174 (1994) 779

Sáenz de Juano-Arbona, V., A. Ribes-Greus, R. Díaz Calleja, I. Alcaina-Miranda, P. Del Hierro-Navarro, C. Sanz-Box and J. Trijueque-Monge, Dynamic mechanical relaxations in annealed and irradiated polyethylenes 172–174 (1994) 1072
Saiter, J.M., A. Hamou and C. Vautier, Physical aging kinetics in vitreous Se-based alloys 172–174 (1994) 580
Saiter, J.M., D. Langevin, P. Lebaudy and J. Grenet, T_g displacements: Indicator of plasticization and antiplasticization effects on poly(ethylene terephtalate) 172–174 (1994) 640
Saiter, J.M., see Dargent, E. 172–174 (1994) 1062
Saiz, E., see Díaz Calleja, R. 172–174 (1994) 985
Salla, J.M., see Morancho, J.M. 172–174 (1994) 656

Salvetti, G., see Cassettari, M. 172–174 (1994) 554
Sanchez, E., see Fan, J. 172–174 (1994) 1178
Santais, J.J., see Dargent, E. 172–174 (1994) 1062
Santangelo, P.G., C.M. Roland, K.L. Ngai, A.K. Rizos and H. Katerinopoulos, Dielectric and mechanical relaxation in PMPS, BMC and their mixtures 172–174 (1994) 1084
Sanz-Box, C., see Sáenz de Juano-Arbona, V. 172–174 (1994) 1072
Saphiannikova, M.G., see Darinskii, A.A. 172–174 (1994) 932
Sauvajol, J.L., see Dianoux, A.J. 172–174 (1994) 472
Schaefer, D.W., B.J. Olivier, C. Ashley, G. Beaucage, D. Richter, B. Farago, B. Frick and D.A. Fischer, Structure and topology of silica aerogels during densification 172–174 (1994) 647
Schaefer, D.W., see Beaucage, G. 172–174 (1994) 797
Schawe, J., see Garwe, F. 172–174 (1994) 191
Schmidt-Rohr, K., see Leisen, J. 172–174 (1994) 737
Schönhals, A., see Garwe, F. 172–174 (1994) 191
Schönhals, A. and F. Kremer, The scaling of the dielectric α-relaxation in low molecular glass-forming systems and polymers 172–174 (1994) 336
Schreiber, M. and K. Tenelsen, Numerical study of relaxation effects in the Coulomb glass 172–174 (1994) 457
Schreider, G., see Vollmayr, K. 172–174 (1994) 488
Schröter, K., see Garwe, F. 172–174 (1994) 191
Schwalb, G., F.W. Deeg and C. Bräuchle, Influence of surface interaction on the reorientational dynamics of pentylcyanobiphenyl confined in a porous glass 172–174 (1994) 348
Schweizer, K.S., see Hu, H.-W. 172–174 (1994) 721
Sekkat, A., see David, L. 172–174 (1994) 214
Seytre, G., see Stéphan, F. 172–174 (1994) 1001
Seytre, G., see Mathieu, C. 172–174 (1994) 1012
Shi, H., see Jean, Y.C. 172–174 (1994) 806
Sidebottom, D., see Green, P.F. 172–174 (1994) 1353
Sideris, E.G., see Kalfas, C.A. 172–174 (1994) 1121
Sillescu, H., see Bartsch, E. 172–174 (1994) 88
Sillescu, H., see Chang, I. 172–174 (1994) 248
Sillescu, H., see Angell, C.A. 172–174 (1994) 420
Sillescu, H., see Chang, I. 172–174 (1994) 674
Sjögren, L. and W. Götze, α-relaxation spectra in supercooled liquids 172–174 (1994) 7
Sjögren, L., see Götze, W. 172–174 (1994) 16
Smith, J.C., see Dianoux, A.J. 172–174 (1994) 472
Socino, G., see Fioretto, D. 172–174 (1994) 1130
Sokolov, A.P., see Rössler, E. 172–174 (1994) 113
Sokolov, A.P., A. Kisliuk, D. Quitmann, A. Kudlik and E. Rössler, The dynamics of strong and fragile glass formers: vibrational and relaxation contributions 172–174 (1994) 138
Solf, M.P. and M.W. Klein, Secondary relaxations and the constant density of states in quadrupolar glasses 172–174 (1994) 531
Souletie, J., An analytical approach of the ergodic–non-ergodic transition in correlated systems 172–174 (1994) 108
Spiess, H.W., see Leisen, J. 172–174 (1994) 737
Stapf, S., see Kimmich, R. 172–174 (1994) 689
Steffen, W., B. Zimmer, A. Patkowski, G. Meier and E.W. Fischer, Depolarized light scattering studies of the boson peak and the transversal phonons in a glass-forming liquid: OTP 172–174 (1994) 37
Steffen, W., see Patkowski, A. 172–174 (1994) 52
Stéphan, F., G. Seytre, G. Boiteux and J. Ulanski, Study of dielectric response of PMR-15 resin during cure 172–174 (1994) 1001
Stevens, J.R., see Patterson, G.D. 172–174 (1994) 311
Stevens, J.R., S.H. Chung, P. Horoyski and K.R. Jeffrey, The local environment for sodium cations in poly(propylene glycol) from NMR and positron annihilation studies 172–174 (1994) 1207
Strange, J.H. and Z.H. Xie, NMR relaxation measurements and defect mobility studies in ionic materials 172–174 (1994) 1262
Stühn, B., see Ewen, B. 172–174 (1994) 1023
Svare, I., F. Borsa, D.R. Torgeson and S.W. Martin, Connection between NMR relaxation and electrical conductivity from distributions of activation energies of ionic motion in some fast-ion conductors 172–174 (1994) 1300
Švejka, R., see Málek, J. 172–174 (1994) 635

Tadić, B., R. Pirc, R. Blinc and S. Dattagupta, Relaxation in quantum spin glasses 172–174 (1994) 449
Tadić, B., Dynamics of frustrated cellular automata 172–174 (1994) 501
Taillades, G., see Durand, B. 172–174 (1994) 1306
Takahashi, Y., H. Hase, M. Yamaguchi and I. Noda, Viscoelastic properties of polyelectrolyte solutions. III. Dynamic moduli from terminal to plateau regions 172–174 (1994) 911
Takiguchi, O., see Osaki, K. 172–174 (1994) 838
Talamantes, J., see Ruiz, J. 172–174 (1994) 445
Tao, N.J., see Li, G. 172–174 (1994) 43
Tarjus, G., see Zeng, X.-C. 172–174 (1994) 61
Tellería, I., see Alegría, A. 172–174 (1994) 961
Tenelsen, K., see Schreiber, M. 172–174 (1994) 457

Te Nijenhuis, K., see Ilavsky, M. 172–174 (1994) 935
Teyssedre, G., see Lacabanne, C. 172–174 (1994) 884
Tick, P.A., see Hasz, W.C. 172–174 (1994) 1363
Tölle, A., see Chang, I. 172–174 (1994) 674
Tombari, E., see Cassettari, M. 172–174 (1994) 554
Tomlins, P.E., see Read, B.E. 172–174 (1994) 562
Torell, L.M., see Hassan, A.K. 172–174 (1994) 154
Torell, L.M., see Jacobsson, P. 172–174 (1994) 161
Torell, L.M., see Bergman, R. 172–174 (1994) 830
Torgeson, D.R., see Svare, I. 172–174 (1994) 1300
Torkelson, J.M., see Dhinojwala, A. 172–174 (1994) 286
Toulouse, J., R. Pattnaik and L.A. Knauss, Polarization relaxation in disordered ferroelectrics 172–174 (1994) 538
Trijueque-Monge, J., see Sáenz de Juano-Arbona, V. 172–174 (1994) 1072
Tringides, M.C. and K.L. Ngai, Phenomenological analogies between non-equilibrium and correlated systems 172–174 (1994) 412
Tsonos, C., see Kyritsis, A. 172–174 (1994) 1431
Turner, M.S., see Marques, C.M. 172–174 (1994) 1168

Ulanski, J., see Stéphan, F. 172–174 (1994) 1001
Ulmer, H.W., see Ilavsky, M. 172–174 (1994) 935
Usada, H., see Yoshioka, S. 172–174 (1994) 765

Vassoille, R., see Muzeau, E. 172–174 (1994) 575
Vautier, C., see Saiter, J.M. 172–174 (1994) 580
Vaysleyb, A.V., see Nowick, A.S. 172–174 (1994) 1243
Vazquez-Vazquez, C., see Mira, J. 172–174 (1994) 491
Verdier, P.H., see Kranbuehl, D.E. 172–174 (1994) 996
Verdini, L., see Fioretto, D. 172–174 (1994) 1130
Veronesi, S., see Cassettari, M. 172–174 (1994) 554
Vigier, G., see Muzeau, E. 172–174 (1994) 575
Villain, R., see Mathieu, C. 172–174 (1994) 1012
Vollmayr, K., G. Schreider, J.D. Reger and K. Binder, Static magnetic response of the three-state Potts glass 172–174 (1994) 488
Von Meerwall, E.D., see Wang, Y. 172–174 (1994) 1047

Wagner, P.A., see Blackburn, F.R. 172–174 (1994) 256
Wahnström, G., see Lewis, L.J. 172–174 (1994) 69
Wang, C.H., H.W. Guan and S.H. Gu, Relaxation of polar orientational order in non-linear optical polymers by second harmonic generation 172–174 (1994) 705
Wang, F., see Roovers, J. 172–174 (1994) 698
Wang, Y. and E.D. von Meerwall, Study of Couette flow in polymer-based liquids via 1-D NMR imaging 172–174 (1994) 1047
Warschewske, U., see Rössler, E. 172–174 (1994) 113
Weber, H.W., see Kimmich, R. 172–174 (1994) 689
Westerhoff, T., F. Bruchhäuser, R. Feile and R. Boehler, Light scattering in orientational glasses 172–174 (1994) 481
Wilcoxon, J.P., J.E. Martin and J. Odinek, Light scattering investigation of phase separation in a micelle system 172–174 (1994) 1142
Willart, J.F., see Descamps, M. 172–174 (1994) 510
Winter, H.H., The occurrence of self-similar relaxation in polymers 172–174 (1994) 1158
Wolf, G.H., see Marzke, R.F. 172–174 (1994) 401
Wu, G., see Chu, B. 172–174 (1994) 1094

Xie, Z.H., see Strange, J.H. 172–174 (1994) 1262

Yamaguchi, M., see Takahashi, Y. 172–174 (1994) 911
Yang, Y., see Halalay, I.C. 172–174 (1994) 175
Yeo, J., see Mazenko, G.F. 172–174 (1994) 1
Yoshioka, S., H. Usada and Y. Nanzai, Variation of dynamic viscoelasticity during yielding and post-yield relaxation in a glassy polymer 172–174 (1994) 765

Zalar, B., see Blinc, R. 172–174 (1994) 436
Zawada, J.A., see Fuller, G.G. 172–174 (1994) 668
Zeng, X.-C., D. Kivelson and G. Tarjus, Some consequences of the α/β bifurcation of relaxations in supercooled liquids 172–174 (1994) 61
Zhou, Z., see Chu, B. 172–174 (1994) 1094
Zimmer, B., see Steffen, W. 172–174 (1994) 37
Zorn, R., see Frick, B. 172–174 (1994) 272

ELSEVIER

Journal of Non-Crystalline Solids 172–174 (1994) xxxv–xxxix

JOURNAL OF NON-CRYSTALLINE SOLIDS

Subject index

Aerogels
Densification, Silica 172–174 (1994) 647

Alkali Silicate Glasses
Molecular Dynamics Simulation 172–174 (1994) 1285

Amorphous Polymers
Amorphous Polymers 172–174 (1994) 838
Dielectric Relaxation 172–174 (1994) 1062
Physical Aging 172–174 (1994) 622

Biopolymer
Biopolymer 172–174 (1994) 1121
Dielectric Relaxation 172–174 (1994) 1117

Ceramics
Ionic Conductivity Relaxation 172–174 (1994) 1270

Chalcogenide Glasses
Physical Aging 172–174 (1994) 580

Computer Simulation
Computer Simulation 172–174 (1994) 682

Conductivity
Conductivity 172–174 (1994) 1419
Conductivity 172–174 (1994) 1436
Electric Modulus 172–174 (1994) 1389
Electrolyte Aqueous Solutions, Ionic Conductivity Relaxation 172–174 (1994) 1190

Copolymers
Copolymers 172–174 (1994) 786
Polymer Dynamics 172–174 (1994) 661

Creep
Creep 172–174 (1994) 457
Polymers, Thermal Properties 172–174 (1994) 562

Crystallization
Crystallization 172–174 (1994) 218
Crystallization 172–174 (1994) 640

Densification
Aerogels, Silica 172–174 (1994) 647

Dielectric Properties
Gels 172–174 (1994) 1041
Polymers, Relaxation 172–174 (1994) 907
Polymers 172–174 (1994) 1103
Polymer Blends 172–174 (1994) 1053
Thermal Stimulated Depolarization Current 172–174 (1994) 902

Dielectric Relaxation
Amorphous Polymers 172–174 (1994) 1062
Biopolymer 172–174 (1994) 1117
Dielectric Relaxation 172–174 (1994) 1324
Dielectric Relaxation 172–174 (1994) 1413
Dielectric Relaxation 172–174 (1994) 209
Dielectric Relaxation 172–174 (1994) 297
Dielectric Relaxation 172–174 (1994) 365
Dielectric Relaxation 172–174 (1994) 569
Fullerenes 172–174 (1994) 468
Glass-forming Viscous Liquids 172–174 (1994) 336
Micelle 172–174 (1994) 1173
Microemulsions 172–174 (1994) 1109
Thermodynamics 172–174 (1994) 554

Diffusion
Glass-forming Viscous Liquids 172–174 (1994) 353

Disordered Crystals
Orientational Glasses 172–174 (1994) 538

Dynamic Fatigue
Dynamic Fatigue 172–174 (1994) 1130
Glass Transition 172–174 (1994) 52

Dynamic Light Scattering
Dynamic Light Scattering 172–174 (1994) 37
Glass Transition 172–174 (1994) 43
Micelle 172–174 (1994) 1142
Polymers 172–174 (1994) 1078
Polymer Solutions 172–174 (1994) 729

0022-3093/94/$07.00 © 1994 Elsevier Science B.V. All rights reserved

Dynamical Properties
Mechanical Properties, Polymers 172–174 (1994) 1125
Molecular Dynamics Simulation 172–174 (1994) 167
Polymeric Ionic Conductors 172–174 (1994) 862

Dynamical Structure
Silicon, Viscoelasticity 172–174 (1994) 1066

Electric Modulus
Conductivity 172–174 (1994) 1389

Electrical Properties and Relaxation
Ionic Conductivity 172–174 (1994) 1243
Mechanical Properties, Relaxation 172–174 (1994) 985
Oxides, Relaxation 172–174 (1994) 1395

Electrolyte Aqueous Solutions
Conductivity, Ionic Conductivity Relaxation 172–174 (1994) 1190
Glasses 172–174 (1994) 1424

Electron Spin Resonance
Liquid Crystalline Polymers 172–174 (1994) 943

Enthalpy Relaxation
Enthalpy Relaxation 172–174 (1994) 541
Enthalpy Relaxation 172–174 (1994) 584
Enthalpy Relaxation 172–174 (1994) 597
Enthalpy Relaxation 172–174 (1994) 601
Physical Aging 172–174 (1994) 592

First Sharp Diffraction Peak
Localization 172–174 (1994) 445

Fluoride Glasses
Ionic Conductivity Relaxation 172–174 (1994) 1363
Non-oxide Glasses, Nuclear Spin Relaxation 172–174 (1994) 1373

Fracture
Polymeric Ionic Conductors 172–174 (1994) 823

Free Volume
Free Volume 172–174 (1994) 715
Positron Annihilation 172–174 (1994) 806

Fullerenes
Dielectric Relaxation 172–174 (1994) 468

Gels
Dielectric Properties 172–174 (1994) 1041

Glass-forming Viscous Liquids
Dielectric Relaxation 172–174 (1994) 336
Diffusion 172–174 (1994) 353
Glass-forming Viscous Liquids 172–174 (1994) 197
Glass-forming Viscous Liquids 172–174 (1994) 201
Glass-forming Viscous Liquids 172–174 (1994) 223
Glass-forming Viscous Liquids 172–174 (1994) 234
Glass-forming Viscous Liquids 172–174 (1994) 248
Raman Spectra 172–174 (1994) 138

Glass Transition
Dynamic Fatigue 172–174 (1994) 52
Dynamic Light Scattering 172–174 (1994) 43
Glass Transition 172–174 (1994) 1
Glass Transition 172–174 (1994) 7
Glass Transition 172–174 (1994) 16
Glass Transition 172–174 (1994) 26
Glass Transition 172–174 (1994) 88
Glass Transition 172–174 (1994) 104
Glass Transition 172–174 (1994) 161
Glass Transition 172–174 (1994) 175
Glass Transition 172–174 (1994) 191
Glass Transition 172–174 (1994) 256
Glass Transition 172–174 (1994) 286
Glass Transition 172–174 (1994) 344
Glass Transition 172–174 (1994) 396
Glass Transition 172–174 (1994) 628
Light Scattering 172–174 (1994) 154
Liquid Crystalline Polymers 172–174 (1994) 917
Monte Carlo Simulations 172–174 (1994) 384
Polymers 172–174 (1994) 733
Pressure Effects 172–174 (1994) 265
Supercooled Liquids 172–174 (1994) 113

Glasses
Electrolyte Aqueous Solutions 172–174 (1994) 1424
Glasses 172–174 (1994) 241
Glasses 172–174 (1994) 436

Glasses Containing Transition Metal Ions
Polymer Blends, Thermal Properties 172–174 (1994) 1328

Glassy Polymers
Glassy Polymers 172–174 (1994) 1037
Glassy Polymers 172–174 (1994) 510
Glassy Polymers 172–174 (1994) 955
Mechanical Relaxation 172–174 (1994) 765
Mechanical Relaxation 172–174 (1994) 771

Ionic Conductivity
Electrical Properties and Relaxation 172–174 (1994) 1243
Ionic Conductivity 172–174 (1994) 1202
Ionic Conductivity 172–174 (1994) 1334
Ionic Conductivity Relaxation 172–174 (1994) 1343
Nuclear Magnetic Resonance 172–174 (1994) 1262

Ionic Conductivity Relaxation
Ceramics 172–174 (1994) 1270
Conductivity, Electrolyte Aqueous Solutions 172–174 (1994) 1190
Fluoride Glasses 172–174 (1994) 1363
Ionic Conductivity 172–174 (1994) 1343

Ionic Conductivity Relaxation 172–174 (1994) 1215
Ionic Conductivity Relaxation 172–174 (1994) 1222
Ionic Conductivity Relaxation 172–174 (1994) 1252
Ionic Conductivity Relaxation 172–174 (1994) 1300
Ionic Conductivity Relaxation 172–174 (1994) 1306
Ionic Conductivity Relaxation 172–174 (1994) 1315
Ionic Conductivity Relaxation 172–174 (1994) 1408
Ionic Conductivity Relaxation 172–174 (1994) 608
Monte Carlo Simulations 172–174 (1994) 1237
Nuclear Spin Relaxation 172–174 (1994) 1292
Oxides 172–174 (1994) 1378

Light Scattering
Glass Transition 172–174 (1994) 154
Light Scattering 172–174 (1994) 1135
Light Scattering 172–174 (1994) 311

Liquid Crystalline Polymers
Electron Spin Resonance 172–174 (1994) 943
Glass Transition 172–174 (1994) 917
Liquid Crystalline Polymers 172–174 (1994) 751
Liquid Crystalline Polymers 172–174 (1994) 966

Liquids
Polymer Melt 172–174 (1994) 1047

Localization
First Sharp Diffraction Peak 172–174 (1994) 445

Low-Energy Excitation
Low-Energy Excitation 172–174 (1994) 1277

Magnetic Properties
Magnetic Properties 172–174 (1994) 495

Mechanical Properties
Dynamical Properties, Polymers 172–174 (1994) 1125
Electrical Properties and Relaxation, Relaxation 172–174 (1994) 985
Mechanical Relaxation 172–174 (1994) 181
Polymer Electrolyte, Thermal Properties 172–174 (1994) 1195

Mechanical Relaxation
Glassy Polymers 172–174 (1994) 765
Glassy Polymers 172–174 (1994) 771
Mechanical Properties 172–174 (1994) 181
Mechanical Relaxation 172–174 (1994) 1058

Melting
Melting 172–174 (1994) 857
Polymeric Ionic Conductors, Relaxation 172–174 (1994) 644

Metallic Glasses
Metallic Glasses 172–174 (1994) 491

Micelle
Dielectric Relaxation 172–174 (1994) 1173
Dynamic Light Scattering 172–174 (1994) 1142
Micelle 172–174 (1994) 1094

Microemulsions
Dielectric Relaxation 172–174 (1994) 1109

Mixed-Alkali Effect
Mixed-Alkali Effect 172–174 (1994) 1353

Molecular Dynamics Simulation
Alkali Silicate Glasses 172–174 (1994) 1285
Dynamical Properties 172–174 (1994) 167
Molecular Dynamics Simulation 172–174 (1994) 69
Molecular Dynamics Simulation 172–174 (1994) 77

Monte Carlo Simulations
Glass Transition 172–174 (1994) 384
Ionic Conductivity Relaxation 172–174 (1994) 1237
Monte Carlo Simulations 172–174 (1994) 204
Monte Carlo Simulations 172–174 (1994) 488
Monte Carlo Simulations 172–174 (1994) 876
Monte Carlo Simulations 172–174 (1994) 996

Neutron Inelastic Scattering
Neutron Quasielastic Scattering 172–174 (1994) 272
Neutron Quasielastic Scattering 172–174 (1994) 327

Neutron Quasielastic Scattering
Neutron Inelastic Scattering 172–174 (1994) 272
Neutron Inelastic Scattering 172–174 (1994) 327
Neutron Quasielastic Scattering 172–174 (1994) 229
Neutron Quasielastic Scattering 172–174 (1994) 472
Polymers 172–174 (1994) 126

Neutron Spin Echo
Polymer Solutions 172–174 (1994) 1023

Non-oxide Glasses
Fluoride Glasses, Nuclear Spin Relaxation 172–174 (1994) 1373

Nuclear Magnetic Resonance
Ionic Conductivity 172–174 (1994) 1262
Nuclear Magnetic Resonance 172–174 (1994) 674
Polymers, Relaxation 172–174 (1994) 689

Nuclear Spin Relaxation
Fluoride Glasses, Non-oxide Glasses 172–174 (1994) 1373
Ionic Conductivity Relaxation 172–174 (1994) 1292
Polymer Dynamics 172–174 (1994) 1168
Polymer Dynamics 172–174 (1994) 737

Orientational Glasses
Disordered Crystals 172–174 (1994) 538
Orientational Glasses 172–174 (1994) 453

Orientational Glasses 172–174 (1994) 481
Orientational Glasses 172–174 (1994) 531

Oxides
Electrical Properties and Relaxation, Relaxation 172–174 (1994) 1395
Ionic Conductivity Relaxation 172–174 (1994) 1378

Phase Transition
Thermodynamics 172–174 (1994) 108

Physical Aging
Amorphous Polymers 172–174 (1994) 622
Chalcogenide Glasses 172–174 (1994) 580
Enthalpy Relaxation 172–174 (1994) 592
Physical Aging 172–174 (1994) 575
Physical Aging 172–174 (1994) 756

Polyelectrolyte
Polyelectrolyte 172–174 (1994) 911

Polymers
Creep, Thermal Properties 172–174 (1994) 562
Dielectric Properties, Relaxation 172–174 (1994) 907
Dielectric Properties 172–174 (1994) 1103
Dynamic Light Scattering 172–174 (1994) 1078
Dynamical Properties, Mechanical Properties 172–174 (1994) 1125
Glass Transition 172–174 (1994) 733
Neutron Quasielastic Scattering 172–174 (1994) 126
Nuclear Magnetic Resonance, Relaxation 172–174 (1994) 689
Polymers 172–174 (1994) 868
Radiation Effects, Relaxation 172–174 (1994) 1072
Small Angle Neutron Scattering, Small Angle X-ray Scattering 172–174 (1994) 797

Polymer Blends
Dielectric Properties 172–174 (1994) 1053
Glasses Containing Transition Metal Ions, Thermal Properties 172–174 (1994) 1328
Polymer Blends 172–174 (1994) 698
Polymer Blends 172–174 (1994) 815
Polymer Blends 172–174 (1994) 891
Polymer Blends 172–174 (1994) 897
Polymer Blends 172–174 (1994) 927
Polymer Blends 172–174 (1994) 961
Rheology 172–174 (1994) 668

Polymer Dynamics
Copolymers 172–174 (1994) 661
Nuclear Spin Relaxation 172–174 (1994) 1168
Nuclear Spin Relaxation 172–174 (1994) 737
Polymer Dynamics 172–174 (1994) 1012
Polymer Dynamics 172–174 (1994) 1028
Polymer Dynamics 172–174 (1994) 705
Polymer Dynamics 172–174 (1994) 721
Polymer Dynamics 172–174 (1994) 855
Polymer Dynamics 172–174 (1994) 932
Polymer Dynamics 172–174 (1994) 950
Polymer Dynamics 172–174 (1994) 990

Polymer Electrolyte
Mechanical Properties, Thermal Properties 172–174 (1994) 1195
Polymer Electrolyte 172–174 (1994) 1207
Polymer Electrolyte 172–174 (1994) 1431
Polymer Electrolyte 172–174 (1994) 830

Polymeric Ionic Conductors
Dynamical Properties 172–174 (1994) 862
Fracture 172–174 (1994) 823
Melting, Relaxation 172–174 (1994) 644
Polymeric Ionic Conductors 172–174 (1994) 1178

Polymer Melt
Liquids 172–174 (1994) 1047

Polymer Network
Polymer Network 172–174 (1994) 1001
Polymer Network 172–174 (1994) 615
Polymer Network 172–174 (1994) 656
Polymer Network 172–174 (1994) 850
Viscoelasticity 172–174 (1994) 935

Polymer Solutions
Dynamic Light Scattering 172–174 (1994) 729
Neutron Spin Echo 172–174 (1994) 1023
Polymer Solutions 172–174 (1994) 1084
Polymer Solutions 172–174 (1994) 790
Polymer Solutions 172–174 (1994) 794
Polymer Solutions 172–174 (1994) 972

Positron Annihilation
Free Volume 172–174 (1994) 806

Pressure Effects
Glass Transition 172–174 (1994) 265
Pressure Effects 172–174 (1994) 401

Radiation Effects
Polymers, Relaxation 172–174 (1994) 1072

Raman Spectra
Glass-forming Viscous Liquids 172–174 (1994) 138

Relaxation
Dielectric Properties, Polymers 172–174 (1994) 907
Electrical Properties and Relaxation, Mechanical Properties 172–174 (1994) 985
Electrical Properties and Relaxation, Oxides 172–174 (1994) 1395
Melting, Polymeric Ionic Conductors 172–174 (1994) 644

Nuclear Magnetic Resonance, Polymers 172–174 (1994) 689
Polymers, Radiation Effects 172–174 (1994) 1072
Relaxation 172–174 (1994) 214
Relaxation 172–174 (1994) 318
Relaxation 172–174 (1994) 348
Relaxation 172–174 (1994) 371

Rheology
Polymer Blends 172–174 (1994) 668
Rheology 172–174 (1994) 779

Silica
Aerogels, Densification 172–174 (1994) 647

Silicon
Dynamical Structure, Viscoelasticity 172–174 (1994) 1066

Small Angle Neutron Scattering
Polymers, Small Angle X-ray Scattering 172–174 (1994) 797

Small Angle X-ray Scattering
Polymers, Small Angle Neutron Scattering 172–174 (1994) 797

Spin Glass
Spin Glass 172–174 (1994) 408
Spin Glass 172–174 (1994) 449
Spin Glass 172–174 (1994) 501
Spin Glass 172–174 (1994) 506

Structural Relaxation
Structural Relaxation 172–174 (1994) 61
Structural Relaxation 172–174 (1994) 1017
Structural Relaxation 172–174 (1994) 378
Structural Relaxation 172–174 (1994) 635

Superconductors
Superconductors 172–174 (1994) 461

Supercooled Liquids
Glass Transition 172–174 (1994) 113
Supercooled Liquids 172–174 (1994) 357
Supercooled Liquids 172–174 (1994) 362
Supercooled Liquids 172–174 (1994) 391

Theory
Theory 172–174 (1994) 98

Thermal Properties
Creep, Polymers 172–174 (1994) 562
Glasses Containing Transition Metal Ions, Polymer Blends 172–174 (1994) 1328
Mechanical Properties, Polymer Electrolyte 172–174 (1994) 1195

Thermal Stimulated Depolarization Current
Dielectric Properties 172–174 (1994) 902
Thermal Stimulated Depolarization Current 172–174 (1994) 884
Thermal Stimulated Depolarization Current 172–174 (1994) 978

Thermodynamics
Dielectric Relaxation 172–174 (1994) 554
Phase Transition 172–174 (1994) 108

Thin Films
Thin Films 172–174 (1994) 412

Time-of-Flight
Time-of-Flight 172–174 (1994) 520

Viscoelasticity
Dynamical Structure, Silicon 172–174 (1994) 1066
Polymer Network 172–174 (1994) 935
Viscoelasticity 172–174 (1994) 1151
Viscoelasticity 172–174 (1994) 1158